



## VIER Carbohydrate Research 302 (1997) VII–VIII

# Contents

- iii Announcement
- v Graphical Abstracts

## Regular papers

P. Cescutti (Trieste, Italy), D. Garozzo (Catania, 1 Effect of methylation of  $\beta$ -cyclodextrin on the formation of inclusion complexes with Italy) and R. Rizzo (Trieste, Italy) aromatic compounds. An ionspray mass spectrometry investigation K.R. Holme and A.S. Perlin (Montreal, Canada) 7 Chitosan N-sulfate. A water-soluble polyelectrolyte V. Petrović, S. Tomić, D. Ljevaković and J. Tomašić 13 Synthesis of acylated methyl  $\beta$ -D-xylopyranosides and their enzymic deacylations by (Zagreb, Croatia) rabbit serum esterases P.T. Larsson, K. Wickholm and T. Iversen (Stock-A CP/MAS 13 C NMR investigation of molecular ordering in celluloses holm, Sweden) E. Tarelli (London, UK), X. Lemercinier and S. 27 Direct preparation of cyclodextrin monophosphates Wheeler (Potters Bar, UK) Gram-scale synthesis of recombinant chitooligosaccharides in Escherichia coli E. Samain, S. Drouillard, A. Heyraud, H. Driguez 35 and R.A. Geremia (Grenoble, France) LD. Spiers, C.H. Schwalbe (Birmingham, UK), A.J. 43 Structure of (±)-1,2;4,5-di-O-cyclohexylidene myo-inositol and synthesis of myo-in-Blake (Edinburgh, UK), K.R.H. Solomons and S. ositol 3-phosphate via its phosphorylation with (2R,4S,5R)-2-chloro-3,4-dimethyl-5-Freeman (Manchester, UK) phenyl-1,3,2-oxazaphospholidin-2-one J.-Y. Le Questel, N. Mouhous-Riou (Nantes, The crystal and molecular structures of 4-cyanophenyl 1,5-dithio-β-D-xylopyranoside S-5 oxide and 4-ethyl-2-oxo-2H-1-benzopyran-7-yl 5-thio-β-D-xylopyranoside S-5 ox-France), B. Boubia, S. Samreth, V. Barberousse (Daix, France) and S. Pérez (Nantes, France) C. Delay (Montpellier, France), J.A. Gavin (La La-Isolation and structure elucidation of a highly haemolytic saponin from the Merck saponin extract using high-field gradient-enhanced NMR techniques guna, Spain), A. Aumelas, P.-A. Bonnet and C. Roumestand (Montpellier, France) The structure of the capsular polysaccharide from Klebsiella type 52, using the R. Stenutz, B. Erbing, G. Widmalm (Stockholm, computerised approach CASPER and NMR spectroscopy Sweden), P.-E. Jansson (Huddinge, Sweden) and W. Nimmich (Rostock, Germany) S. Engelmann and R. Schwartz-Albiez (Heidelberg, Differential release of proteoglycans during human B lymphocyte maturation 85 Germany) H. Zheng (Xinxiang Henan, People's Republic of 97 Interaction mechanism in sol-gel transition of alginate solutions by addition of divalent China) cations

#### Notes

- F. Santini, A. Bisio, M. Guerrini and E.A. Yates 103 Modifications under basic conditions of the minor sequences of heparin containing 2.3 (Milan, Italy) or 2.3,6 sulfated D-glucosamine residues
- H. Stampe Jensen, G. Limberg and C. Pedersen 109 Benzylation of aldonolactones with benzyl trichloroacetimidate (Lyngby, Denmark)
- A.B. Roy and M.J.E. Hewlins (Cardiff, UK)

  113 Sulfoquinovose and its aldonic acid: their preparation and oxidation to 2-sulfoacetaldehyde by periodate
  - 119 Book reviews
  - iii Graphical Abstracts

## Regular papers

- V. Martichonok and G.M. Whitesides (Cambridge, 123 Studies on a-sialylation using sialyl donors with an auxiliary 3-thiophenyl group MA, USA)
- S.B. Etcheverry, P.A.M. Williams and E.J. Baran Synthesis and characterization of oxovanadium(IV) complexes with saccharides 131 (La Plata, Argentina)
- M. Masuda and T. Shimizu (Ibaraki, Japan) Non-mesogenic crystal structure of a synthetic 1-D-glucosamide bolaamphiphile 139
- É. Bozó, S. Boros and J. Kuszmann (Budapest, 149 Synthesis of 4-cyanophenyl 4-azido-4-deoxy-1,5-dithio-β-D-xylopyranoside Hungary)
- C. Blum (Illkirch, France), N. Rehnberg (Perstorp, 163 Synthesis of optically active myo-inositol derivatives starting from phytic acid Sweden), B. Spiess and G. Schlewer (Illkirch, France)
- L. Vachoud, N. Zydowicz and A. Domard (Villeur-169 Formation and characterisation of a physical chitin gel banne, France)
- D. Florea (Bucarest, Romania), E. Maes and G. 179 Primary structure of seven sulfated oligosaccharide-alditols released by reductive B-Strecker (Villeneuve d'Ascq, France) elimination from oviducal mucins of Rana temporaria. Characterization of the sequence HSO<sub>3</sub>(3) GlcA(β1-3)Gal
- P. Christakopoulos (Athens, Greece; Gent, The alkaline xylanase III from Fusarium oxysporum F3 belongs to family F/10 Belgium), W. Nerinckx (Gent, Belgium), D. Kekos, B. Macris (Athens, Greece) and M. Claeyssens
- F. Stingele (Lausanne, Switzerland), J. Lemoine Lactobacillus helveticus Lh59 secretes an exopolysaccharide that is identical to the one (Villeneuve d'Ascq, France) and J.-R. Neeser produced by Lactobacillus helveticus TN-4, a presumed spontaneous mutant of Lacto-(Lausanne, Switzerland) bacillus helveticus TY1-2
- D.L. Verraest, J.A. Peters (Delft, The Netherlands), Distribution of substituents in O-carboxymethyl and O-cyanoethyl ethers of inulin H.C. Kuzee, H.W.C. Raaijmakers (Roosendaal, The Netherlands) and H. Van Bekkum (Delft, The Netherlands)
- J. Li and G. Gellerstedt (Stockholm, Sweden) 213 The contribution to kappa number from hexeneuronic acid groups in pulp xylan

#### Notes

Z. Györgydeák (Debrecen, Hungary), W. Holzer

(Gent, Belgium)

- K. Ogawa, T. Watanabe (Fukushima, Japan), Y. 219 A new glycoside, 1D-2-O-α-D-galactopyranosyl-chiro-inositol from jojoba beans Ikeda and S. Kondo (Tokyo, Japan)
- H. Ishida, Y. Ito, E. Tanahashi (Gifu, Japan), Y.-T. 223 Synthesis of 6'-GM2, a regioisomer of ganglioside GM2, for studying the mechanism of Li (New Orleans, USA), M. Kiso and A. Hasegawa action of GM2 activator
- (Gifu, Japan) Cyclization reactions of  $N^1$ -(glycopyranosylamino)guanidines
- (Wien, Austria) and J. Thiem (Hamburg, Germany) G.B. Kok and M. von Itzstein (Parkville, Australia) 237 A regio- and stereo-selective introduction of azide at C-4 of 2,3-unsaturated N-
- acetylneuraminic acids
- I. Molina Pinilla, M. Bueno Martínez and J.A. Gal-Synthesis and condensation reactions of 1-amino-1-deoxy-2,3,4-tri-O-methyl-5-O-{(penbis (Sevilla, Espagne) tachlorophenoxy)phthaloyl]-L-arabinitol
- Z. Hameršak, N. Pavlović, V. Delić and V. Šunjić Regio- and stereo-selectivity in homogeneous catalytic hydrogenation of 2,5-diketo-D-(Zagreb, Croatia) threo-hexonic acid
  - 251 Book review

229

- 253 Announcements
  - Author index
- 111 Subject index
- VII Contents

